

Botânica, Ecologia e Zoologia, Centro de Biociências, Universidade Federal do Rio Grande do Norte, Campus Universitário, Lagoa Nova, CEP 59072-970, Natal, Rio Grande do Norte, Brazil.

CRAUGASTOR OCCIDENTALIS (Taylor's Barking Frog). MÉXICO: ZACATECAS: MUNICIPALITY OF JUCHIPILA: Sierra Morones, 7.74 km WSW of Juchipila (21.39961°N, 103.18785°W; WGS84), 1847 m elev. 13 September 2009. Zaira Yaneth González-Saucedo, Rubén Alonso Carbajal-Márquez, José Carlos Arenas-Monroy, and José Jesús Sigala-Rodríguez. Verified by Lee Grismer. LSUHCDPC 6125 photo voucher. First municipality record, second record for Zacatecas, extending the known distributional range of the species ca. 49 km (airline) ESE from the type locality, La Hacienda, Municipality of Florencia de Benito Juárez, Zacatecas (Taylor 1941. Proc. Biol. Soc. Washington 54:87–94). The frog was found on ground leaf litter in the ecotone between tropical deciduous forest and oak forest.

JOSÉ CARLOS ARENAS-MONROY, Universidad Autónoma de Aguascalientes, Ciudad Universitaria, C.P. 20100, Aguascalientes, Aguascalientes, México (e-mail: jca_exe@yahoo.com.mx); **ZAIRA YANETH GONZÁLEZ-SAUCEDO**, Universidad Autónoma de Querétaro, Facultad de Ciencias, Av. de la Ciencias S/N, Col. Juriquilla, C.P. 76230, Querétaro, Querétaro, México; **RUBÉN ALONSO CARBAJAL-MÁRQUEZ**, Centro de Investigaciones Biológicas del Noroeste, Mar Bermejo #195 Col. Playa Palo de Santa Rita, C.P. 23090, La Paz, Baja California Sur, México; **JOSÉ JESÚS SIGALA-RODRÍGUEZ**, Universidad Autónoma de Zacatecas, Unidad Académica de Biología Experimental, C.P. 98600, Guadalupe, Zacatecas, México.

ELEUTHERODACTYLUS CYSTIGNATHOIDES (Rio Grande Chirping Frog). MÉXICO: HIDALGO: MUNICIPALITY OF TECOZAUTLA: 1.62 km E La Paila (20.56925°N, 99.5843333°W; WGS84), 1724 m elev. 31 May 2009. Víctor Vite Silva. Verified by Jesús M. Castillo. Colección Herpetológica, Centro de Investigaciones Biológicas, Universidad Autónoma del Estado de Hidalgo (CIB-UAEH 2109). First municipality record, extending the range in the state ca. 31.76 km E from its closest reported locality at Arbolado, Municipality of Tasquillo on a nut farm (Morales 2010. Herpetofauna de Dos Ambientes Contrastantes del Municipio de Tasquillo. Tesis, Universidad Autónoma del Estado de Hidalgo. Mineral de la Reforma. 84 pp.). It is also the first record in Hidalgo from xerophytic scrub vegetation, as the species has previously been reported only from cloud forest (Canseco-Márquez et al. 2004. *In* Luna et al. [eds.], Biodiversidad de la Sierra Madre Oriental, pp. 417–437. Las Prensas de Ciencias, México, D.F.).

Fieldwork was funded by CONACyT- 95828 and CONABIO GT002.

ADRIANA LÓPEZ-MEJÍA (e-mail: alamo_87@hotmail.com) and **IRENE GOYENECHEA** (e-mail: ireneg28@gmail.com), Centro de Investigaciones Biológicas (CIB), Universidad Autónoma del Estado de Hidalgo, A.P. 1-69 Plaza Juárez, Pachuca, Hidalgo, México.

ELEUTHERODACTYLUS NITIDUS (Shiny Peeping Frog). MÉXICO: HIDALGO: MUNICIPALITY OF TECOZAUTLA: 1.31 km E La Paila (20.56652778°N, 99.61519444°W; WGS84), 1665 m elev. 29 May 2009. Adriana López Mejía. Verified by Jesús M. Castillo. Colección Herpetológica, Centro de Investigaciones Biológicas, Universidad Autónoma del Estado de Hidalgo (CIB-UAEH 2116). First municipality record, extending the range in the state ca. 98.34 km SW from its closest reported locality in Acayuca, Municipality of Molango (Ramírez-Bautista et al. 2010. Lista Anotada de los Anfibios y Reptiles del Estado de Hidalgo, México. Universidad Autónoma del Estado de Hidalgo, CONABIO. x +

104 pp.) The frog was found in xerophytic scrub, but the only previous record of this species in Hidalgo was in cloud forest (Ramírez-Bautista et al. 2010, *op. cit.*) Fieldwork was funded by CONACyT- 95828 and CONABIO GT002.

ADRIANA LÓPEZ-MEJÍA (e-mail: alamo_87@hotmail.com) and **IRENE GOYENECHEA** (e-mail: ireneg28@gmail.com), Centro de Investigaciones Biológicas (CIB), Universidad Autónoma del Estado de Hidalgo, A.P. 1-69 Plaza Juárez, Pachuca, Hidalgo, México.

ELEUTHERODACTYLUS PLANIROSTRIS (Greenhouse Frog). USA: FLORIDA: DESOTO Co.: Arcadia, Dee Oaks Nursery, 150 m S of Owens School Rd. and 250 m W of County Rd. 661 (27.17896°N, 81.93542°W; WGS84). 19 July 2010. C. Thawley. UAHC 16425. Verified by Leslie J. Rissler. New county records (Krysko et al. 2011. Atlas of Amphibians and Reptiles in Florida. Final Report, Project Agreement 08013, Florida Fish and Wildlife Conservation Commission, Tallahassee. 524 pp.). This introduced species has now been reported from approximately two-thirds of counties from peninsular Florida, suggesting that it is likely distributed across the entire peninsula.

Thanks to Walter E. Meshaka, Jr. for assistance and review of localities.

CHRISTOPHER J. THAWLEY, Department of Biological Sciences, University of Alabama, Box 870345, Tuscaloosa, Alabama 35487, USA; e-mail: cjthawley@crimson.ua.edu.

FEJERVARYA NEPALENSIS (Nepal Cricket Frog). INDIA: UT-TARAKHAND: Haridwar, Jhilmil Jheel Conservation Area (29.80556°N, 78.2277°E, WGS 84; 245.97 m elev.; 29.8722°N, 78.1882°E; WGS 84; 273.40 m elev.). J. P. Sati. 10 March 2011 (ZSI NRC 861). HARYANA: Yamuna Nagar, Kalesar National Park & Wildlife Sanctuary (30.3467°N, 77.5167°E; WGS 84; 332.237 m elev.) S. J. S. Hattar. 15 July 2007 (ZSI NRC 775). All verified by Karan Shah. First records for Uttarakhand and Haryana states. Previously known from Arunachal Pradesh, Assam, and Nagaland (Ao et al. 2003. Zoo Print J. 18:1117–1125; Mathew and Sen 2010. Pictorial Guide to Amphibians of North East India. Zoological Survey of India, Kolkata. xii + 144 pp.); and central and eastern midlands of Nepal (Anders 2002. *In* Schleich and Kästle [eds.], Amphibians & Reptiles of Nepal. Biology, Systematics, Field Guide, pp. 133–348. ARG Gantner Verlag K.G., Ruggell).

ARCHANA BAHUGUNA, Northern Regional Centre, Zoological Survey of India, 218 Kaulagarh Road, Dehradun 248 195, Uttarakhand, India; e-mail archana.bahuguna65@gmail.com.

HOPLOBATRACHUS CRASSUS (Jerdon's Bullfrog). BANGLADESH: NILPHAMARI DISTRICT: Koya Golahut, Saidpur (25.801969°N, 88.900531°E; WGS 84; 41.15 m elev.). 27 August 2011. Md. Abdur Razzaque Sarker. Verified by Ghazi S. M. Asmat. Museum of Herpetology Laboratory, Ichamati College, Dinajpur, Bangladesh (MHLB-HC01). First record from Nilphamari District, northern Bangladesh; previously recorded from Chittagong (Asmat et al. 2003. Univ. Rajshahi J. Zool. 22:141–143). Near Saidpur Bypass Road > 2 km N from Saidpur and > 17 km S from Nilphamari. Adults collected beside paddy field. Habitat includes *Cynodon dactylon* and *Bambusa arundinacea* plantations.

MD. ABDUR RAZZAQUE SARKER (e-mail: razzaqsciencebd@gmail.com); **MOHAMMAD SAJID ALI HOWLADER** (e-mail: sajidpabc@gmail.com); and **MD. ASHRAFUL KABIR** (e-mail: ashrafuwb@yahoo.com), Herpetology Laboratory Bangladesh, Society for Research and Development; House No. 28/5 (2nd floor), Shonatangar, Jigatola, Dhanmondi, Dhaka 1209, Bangladesh.