

July 2006. Elizabeth Cervantes Cornish. Verified by Norma Manríquez Morán. Colección Herpetológica, Centro de Investigaciones Biológicas, Universidad Autónoma del Estado de Hidalgo (CH-CIB 2808). First municipality record and only third specific locality reported for the state. The closest known record is from the Municipality of Tepeji del Río de Ocampo at Presa Requena (Valencia-Hernández et al. 2007. *Acta Zool. Mex.* 23:29–233), located 80.41 km SW of our record. The snake was found in xerophytic scrub vegetation.

LEONARDO FERNÁNDEZ-BADILLO (e-mail: cyrtopsis@hotmail.com), **NALLELY MORALES-CAPELLÁN** (e-mail: nahomi_naica25@hotmail.com), **IRENE GOYENCHEA** (e-mail: ireneg28@gmail.com), and **URIEL HERNÁNDEZ-SALINAS** (e-mail: uherndez3@gmail.com), Centro de Investigaciones Biológicas (CIB), Universidad Autónoma del Estado de Hidalgo, A.P. 1-69 Plaza Juárez, Pachuca, Hidalgo, México.

DRYMARCHON MELANURUS (Central American Indigo Snake). MEXICO: JALISCO: MUNICIPALITY OF CAÑADAS DE OBREGÓN: Temacapulín, 88 km NE from Guadalajara (21.174083°N, 102.713805°W; WGS84), 1726 m elev. 14 March 2010. Jesús M. Rodríguez-Canseco, Krystal L. González-Estupiñán, and Luand E. López-Rodríguez. Verified by Jacobo Reyes Velasco. UTADC 7611, 7612). First records for the municipality, and a range extension of 68 km E from Mezquital del Oro, Zacatecas (Ahumada-Carrillo and Vázquez-Huizar. 2012. *Herpetol. Rev.* 43:448) and 73 km S of records in southern Aguascalientes (Vázquez Díaz and Quintero Díaz 2005. *Anfibios y Reptiles de Aguascalientes*. CONABIO, CIEMA, México, D.F. 318 pp.). The snake was found basking in the afternoon sun, on a rock inside a canyon covered by tropical deciduous forest.

JESÚS MAURICIO RODRÍGUEZ-CANSECO (e-mail: jmrc2603@hotmail.com), **KRYSTAL LUCÍA GONZÁLEZ-ESTUPIÑÁN** (e-mail: krystal_mclean@hotmail.com), and **LUAND ELIUD LÓPEZ-RODRÍGUEZ** (e-mail: luandaja@hotmail.com), Centro Universitario de Ciencias Biológicas y Agropecuarias, Universidad de Guadalajara, Zapopan, Jalisco, 45110, México.

GEPHIS BICOLOR (Mexican Plateau Earth Snake). MEXICO: JALISCO: MUNICIPALITY OF TECOLOTLAN: Sierra de Quila, near Tecolotlán, 100 km SW of Guadalajara (20.312353°N, 104.013385°W; WGS84), 2450 m elev. 13 October 2011. Jesús Rodríguez-Canseco and Matías Domínguez-Laso. Verified by Jacobo Reyes-Velasco. UTADC 7613. First municipality record, extending the range 89 km N from its nearest location in the Sierra de Manantlán (Orozco 2006. *Herpetofauna de la Estación Científica Las Joyas en la Reserva de la Biosfera Sierra Manantlán, Jalisco, México: Guía Ilustrada y Claves para su Determinación*. Univ. de Guadalajara, Cent. Univ. Cienc. Biol. Agro., Zapopan, Jalisco. 90 pp.). The snake was found in pine-oak forest under a rock in the morning after a rainy night.

JESÚS MAURICIO RODRÍGUEZ-CANSECO (e-mail: jmrc2603@hotmail.com), **MATÍAS DOMÍNGUEZ-LASO**, **VERÓNICA ROSAS ESPINOZA**, **ANA LUISA SANTIAGO PÉREZ**, and **ALBERTO AYON-ESCOBEDO**, Centro Universitario de Ciencias Biológicas y Agropecuarias, Universidad de Guadalajara, Zapopan, Jalisco, 45110, México.

GEPHIS DUGESII (Duges' Earth Snake). MÉXICO: SINALOA: MUNICIPALITY OF BADIRAGUATO: Centro de Estudios "Justo Sierra," Surutato (25.82919°N, 107.56494°W; WGS 84), 1529 m elev. 21 September 2012. Pedro Uriarte-Garzón, Robert A. Villa, and Will Lattea. Verified by Luis Canseco Márquez. MZFC 27267. First municipality record, northernmost record for the state, and

bridges roughly a 614-km gap between Yécora, Sonora (Enderson and Bezy 2007. *Herpetol. Rev.* 38:103) and several montane sites along Mexico Hwy 40 in SE Sinaloa and adjacent SW Durango (Webb 1984. *In* Seigel et al. [eds.], *Vertebrate Ecology and Systematics: A Tribute to Henry S. Fitch*, pp. 217–241. Univ. Kansas Mus. Nat. Hist. Spec. Publ. 10, Lawrence, Kansas). The snake was found in pine-oak forest.

PEDRO URIARTE-GARZÓN, Laboratorio de Recursos Naturales, Escuela de Biología, Universidad de Occidente, Unidad Guasave, Ave. Universidad S/N, Guasave, Sinaloa (e-mail: uriartegp@hotmail.com); **URI OMAR GARCÍA-VÁZQUEZ**, Laboratorio de Herpetología, Museo de Zoología, Facultad de Ciencias, UNAM, A.P. 70-399, México, D.F. 04510 (e-mail: urigarcia@gmail.com).

HETERODON PLATIRHINOS (Eastern Hog-nosed Snake). USA: TENNESSEE: VAN BUREN Co.: Found in woods 30 m N of State Rt. 284 (35.62094°N, 85.41251°W; WGS 84). 12 May 2013. S. Graham, C. Thawley, and G. McCormick. Verified by David Laurencio. AUM AHAP-D 676 (digital photograph file). New county record (Scott and Redmond 2008. *Atlas of Reptiles in Tennessee*. Center for Field Biology, Austin Peay State University, Clarksville, Tennessee. <http://www.apsu.edu/reptatlas> [updated 30 May 2013; accessed 1 June 2013]). Records of *H. platirhinos* are lacking in several regions of Tennessee, especially the Cumberland Plateau, and this record fills a distributional gap among the nearest records approximately 48 km N in White Co., 48 km SW in Grundy Co., and 72 km SE in Bradley Co.

Funding for this research was provided by IOS-1051367 to T. Langkilde.

CHRISTOPHER J. THAWLEY (e-mail: cthawley@gmail.com), **GAIL L. MCCORMICK** (e-mail: glm173@psu.edu), and **SEAN P. GRAHAM** (e-mail: szg170@psu.edu), Department of Biology, Pennsylvania State University, 208 Mueller Laboratory, University Park, Pennsylvania 16802, USA.

LAMPROPELTIS CALLIGASTER OCCIPITOLINEATA (South Florida Mole Kingsnake). USA: FLORIDA: OSCEOLA Co.: Road 10 in Three Lakes Wildlife Management Area (27.824652°N, 81.137155°W; WGS84). 10 April 2013. Florida Museum of Natural History (UF169963, photographic voucher). Verified by Kevin M. Enge. New county record (Krysko et al. 2011. *Atlas of Amphibians and Reptiles in Florida*. Final report, Florida Fish and Wildlife Conservation Commission, Tallahassee. 524 pp.), although there is an unverified report (O'Horo and Enge 2008. *Herpetol. Rev.* 39[2]:241). Extends range 34 km NNW of the nearest record in Okeechobee Co. (UF 137503). Specimen (740 mm SVL) collected at 0915 h on an unpaved road in dry prairie habitat.

EMILY RUSHTON, Florida Fish and Wildlife Conservation Commission, 1231 Prairie Lakes Road, Kenansville, Florida 34739, USA; e-mail: emilybrown24@gmail.com.

LAMPROPELTIS ELAPSOIDES (Scarlet Kingsnake) USA: ALABAMA: COVINGTON Co.: US Route 29, Conecuh National Forest (31.14052°N 86.67253°W; WGS 84). 22 May 2013. S. Graham and M. Herr. Verified by David Laurencio. AUM 40225. New county record (Mount 1975. *The Reptiles and Amphibians of Alabama*. Auburn Printing Co., Auburn. 347 pp.).

Funding was provided by a Penn State Department of Undergraduate Education Summer Discovery Grant to Mark Herr and a National Science Foundation grant (IOS-1051367, DEB-0949483) to Tracy Langkilde.

MARK W. HERR (e-mail: mwh5426@psu.edu) and **SEAN P. GRAHAM**, Department of Biology, The Pennsylvania State University, 208 Mueller